

Lipid-Based Nanocarriers for Lymphatic Transportation. [Vishwakarma N1](#), [Jain A1](#), [Sharma R1](#), [Mody N1](#), [Vyas S2](#), [Vyas SP3](#). [AAPS PharmSciTech](#). 2019 Jan 23;20(2):83. doi: 10.1208/s12249-019-1293-3.

Lipid-Based Nanocarriers for Lymphatic Transportation [Vishwakarma N 1](#), [Jain A 1](#), [Sharma R 1](#), [Mody N 1](#), [Vyas S 2](#), [Vyas SP 3](#) 2019 Jan 1;11(1). pii: E68. doi: 10.3390/nu11010068.

Use of Lipid Nanocarriers to Improve Oral Delivery of Vitamins. [Hsu CY](#) 1, 2, [Wang PW](#) 3, [Alalaiwe A](#) 4, [Lin ZC](#) 5, [Fang JY](#) 6, 7, 8, 9 [10.1208 / s12249-019-1293-3](#)

Central lymph propulsion. [Shields JW](#). *Lymphology* 1980 Mar;13(1):9-17.

Anatomy, Lymphatic System. [Null M](#) 1, [Agarwal M](#) 2. StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2019 Jun 22

[Lymphology](#). 1980 Mar;13(1):9-17.**Central lymph propulsion.**

[Shields JW](#).

Antiinflammatory, Antioxidant, and Immunomodulatory Effects of Crocus sativus L. and its Main Constituents.

Boskabady MH, Farkhondeh T.

[Biol Regul Homeost Agents](#). 2017 Dec 27;31(4 Suppl 2):63-69.**Systematic review: the efficacy of topical hyaluronic acid on oral ulcers.**[Casale M](#)¹, [Moffa A](#)¹, [Vella P](#)¹, [Rinaldi V](#)^{1,2}, [Lopez MA](#)³, [Grimaldi V](#)⁴, [Salvinelli E](#)¹.

[J Ocul Pharmacol Ther](#). 2006 Dec;22(6):431-6. **Oral Echinacea purpurea extract in low-grade, steroid-dependent, autoimmune idiopathic uveitis: a pilot study.**

[Neri PG](#)¹, [Stagni E](#), [Filippello M](#), [Camillieri G](#), [Giovannini A](#), [Leggio GM](#), [Drago F](#).

•

[J Nat Prod](#). 2015 Dec 24;78(12):2956-62. doi: 10.1021/acs.jnatprod.5b00668. Epub 2015 Nov 23. **Effect of Chicoric Acid on Mast Cell-Mediated Allergic Inflammation in Vitro and in Vivo.** [Lee NY](#)^{1,2}, [Chung KS](#)¹, [Jin JS](#)², [Bang KS](#), [Eom YJ](#)³, [Hong CH](#)³, [Nugroho A](#)⁴, [Park HJ](#)⁵, [An HJ](#)¹.

[Nutrients](#). 2019 Mar 18;11(3). pii: E649. doi: 10.3390/nu11030649. **Saffron (*Crocus sativus* L.) in Ocular Diseases: A Narrative Review of the Existing Evidence from Clinical Studies.**

[Heitmar R](#)¹, [Brown J](#)², [Kyroiu I](#)^{3,4,5}.

2018 Jun;190:89-98. doi: 10.1016/j.ajo.2018.03.007. Epub 2018 Mar 14. **Effects of Crocin on Diabetic Maculopathy: A Placebo-Controlled Randomized Clinical Trial.**

[Sepahi S](#)¹, [Mohajeri SA](#)², [Hosseini SM](#)³, [Khodaverdi E](#)⁴, [Shoeibi N](#)⁵, [Namdari M](#)⁶, [Tabassi SAS](#)⁷.

[BMC Complement Altern Med](#). 2014 Oct 15;14:399. doi: 10.1186/1472-6882-14-399. **The ocular hypotensive effect of saffron extract in primary open angle glaucoma: a pilot study.**

[Jabbarpoor Bonyadi MH](#)¹, [Yazdani S](#), [Saadat S](#).

[Vis Neurosci](#). 2014 Sep;31(4-5):355-61. doi: 10.1017/S0952523814000108. Epub 2014 May 12. **Saffron and retina: neuroprotection and pharmacokinetics.**

[Bisti S](#)¹, [Maccarone R](#)¹, [Falsini B](#)².

[Phytother Res](#). 2016 Jul;30(7):1072-94. doi: 10.1002/ptr.5622. Epub 2016 Apr 21. **Antiinflammatory, Antioxidant, and Immunomodulatory Effects of *Crocus sativus* L. and its Main Constituents.**

[Boskabady MH](#)¹, [Farkhondeh T](#)¹.

[Biomed Pharmacother](#). 2016 Aug;82:65-71. doi: 10.1016/j.biopha.2016.04.063. Epub 2016 May 6. **Crocin, the main active saffron constituent, mitigates dichlorvos-induced oxidative stress and apoptosis in HCT-116 cells.**

[Ben Salem I](#)¹, [Boussabbeh M](#)¹, [Kantaoui H](#)², [Bacha H](#)², [Abid-Essefi S](#)³.

[J Ocul Pharmacol Ther](#). 1999 Apr;15(2):143-52. **Effects of crocin analogs on ocular blood flow and retinal function.**

[Xuan B](#)¹, [Zhou YH](#), [Li N](#), [Min ZD](#), [Chiou GC](#).

[Acta Pharm Hung](#). 2012;82(3):95-103. **[Formulation strategies of intraoral dosage forms].**

[Article in Hungarian]

[Kállai N](#)¹, [Sebestyén Z](#), [Szabó B](#), [Simon V](#), [Antal I](#), [Zelkó R](#).

2008 Jan-Mar;52(1):77-83. **Oculohypotensive effects of foeniculum vulgare in experimental models of glaucoma.**

[Agarwal R](#)¹, [Gupta SK](#), [Agrawal SS](#), [Srivastava S](#), [Saxena R](#).

2014 Sep;56(3 Suppl 1):1-6. **MaquiBright™ standardized maqui berry extract significantly increases tear fluid production and ameliorates dry eye-related symptoms in a clinical pilot trial.**

[Hitoe S](#)¹, [Tanaka J](#), [Shimoda H](#).

[Food Chem.](#) 2013 Aug 15;139(1-4):129-37. doi: 10.1016/j.foodchem.2013.01.036. Epub 2013 Jan 29. **Maqui berry (*Aristotelia chilensis*) and the constituent delphinidin glycoside inhibit photoreceptor cell death induced by visible light.**
[Tanaka J](#)¹, [Kadekaru T](#), [Ogawa K](#), [Hitoe S](#), [Shimoda H](#), [Hara H](#).

2013 Dec;22(9):780-4. doi: 10.1097/IJG.0b013e3182595075. **Effect of Ginkgo biloba extract on visual field progression in normal tension glaucoma.**
[Lee J](#)¹, [Sohn SW](#), [Kee C](#).

2019 Aug;22(8):771-778. doi: 10.1089/jmf.2018.4350. Epub 2019 Jul 3. **Neuroprotective Effect of Ginkgo Biloba Extract Against Hypoxic Retinal Ganglion Cell Degeneration *In Vitro* and *In Vivo*.**
[Cho HK](#)¹, [Kim S](#)², [Lee EJ](#)², [Kee C](#)².

[Arch Ophthalmol.](#) 2008 Dec;126(12):1700-6. doi: 10.1001/archophthalmol.2008.512. **Effect of topical Ginkgo biloba extract on steroid-induced changes in the trabecular meshwork and intraocular pressure.**
[Jia LY](#)¹, [Sun L](#), [Fan DS](#), [Lam DS](#), [Pang CP](#), [Yam GH](#). Department of Ophthalmology and Visual Sciences, The Chinese University of Hong Kong, Kowloon, Hong Kong, China.

[Exp Mol Med.](#) 2014 Jun 13;46:e100. doi: 10.1038/emm.2014.26. **Benzylideneacetophenone derivatives attenuate IFN- γ -induced IP-10/CXCL10 production in orbital fibroblasts of patients with thyroid-associated ophthalmopathy through STAT-1 inhibition.**
[Lee SH](#)¹, [Lim SY](#)¹, [Choi JH](#)², [Jung JC](#)³, [Oh S](#)³, [Kook KH](#)⁴, [Choi YH](#)¹.

[Int J Endocrinol Metab.](#) 2017 Feb 13;15(2):e42161. doi: 10.5812/ijem.42161. eCollection 2017 Apr. **Effects of the Hydroalcoholic Extract of *Zingiber officinale* on Arginase I Activity and Expression in the Retina of Streptozotocin-Induced Diabetic Rats.**
[Lamuchi-Deli N](#)¹, [Aberomand M](#)¹, [Babaahmadi-Rezaei H](#)¹, [Mohammadzadeh G](#)².

[Curr Eye Res.](#) 1996 Dec;15(12):1156-62.

Human vitreous hyaluronidase: isolation and characterization.

Schwartz DM1, Shuster S, Jumper MD, Chang A, Stern R.

[Nutrients](#). 2019 Oct 15;11(10). pii: E2461. doi: 10.3390/nu11102461. **Antioxidant Saffron and Central Retinal Function in ABCA4-Related Stargardt Macular Dystrophy.**

[Piccardi M](#)¹, [Fadda A](#)², [Martelli F](#)³, [Marangoni D](#)^{4, 5}, [Magli A](#)⁶, [Minnella AM](#)^{7, 8}, [Bertelli M](#)⁹, [Di Marco S](#)^{10, 11, 12}, [Bisti S](#)^{13, 14, 15}, [Falsini B](#)^{16, 17}.

[Curr Pharm Des](#). 2015;21(33):4798-821. **Polysaccharide Based Formulations for Mucosal Drug Delivery: A Review.**

[Boateng J](#)¹, [Okeke O](#), [Khan S](#).

[Ther Deliv](#). 2017 Jan;8(1):1-4. doi: 10.4155/tde-2016-0073. Epub 2016 Dec 16. **An expert's opinion on what lies ahead in the field of alternative drug delivery.**

[Goswami T](#)¹.

2002;41(9):661-80. **Oral mucosal drug delivery: clinical pharmacokinetics and therapeutic applications.**

[Zhang H](#)¹, [Zhang J](#), [Streisand JB](#).

[Bioorg Chem](#). 2018 Apr;77:159-167. doi: 10.1016/j.bioorg.2017.12.030. Epub 2018 Jan 4. **In-vitro evaluation of antioxidant, anti-elastase, anti-collagenase, anti-hyaluronidase activities of safranal and determination of its sun protection factor in skin photoaging.**

[Madan K](#)¹, [Nanda S](#)².

[ur J Ophthalmol](#). 2009 May-Jun;19(3):331-6. **Clinical efficacy of a Ginkgo biloba extract in the topical treatment of allergic conjunctivitis.**

[Russo V](#)¹, [Stella A](#), [Apezzati L](#), [Barone A](#), [Stagni E](#), [Roszkowska A](#), [Delle Noci N](#).

[Carbohydr Res](#). 2020 Mar;489:107950. doi: 10.1016/j.carres.2020.107950. Epub 2020 Feb 18. **Hyaluronic acid applications in ophthalmology, rheumatology, and dermatology.**

[Huynh A](#)¹, [Priefer R](#)².

[J Ophthalmol](#). 2019 Sep 25;2019:5491626. doi: 10.1155/2019/5491626. eCollection 2019. **Oral Hyaluronic Acid Supplementation for the Treatment of Dry Eye Disease: A Pilot Study.**

[Kim Y](#)¹, [Moon CH](#)², [Kim BY](#)³, [Jang SY](#)¹.

[Zhongguo Yi Liao Qi Xie Za Zhi](#), 2018 Jan 30;42(1):74-76. doi: 10.3969/j.issn.1671-7104.2018.01.021. **[Application of Hyaluronic Acid]**.
[Article in Chinese]
[Wang C](#)¹.

[Eur J Pharmacol](#), 2011 Jan 10;650(1):110-9. doi: 10.1016/j.ejphar.2010.09.081. Epub 2010 Oct

14. **Crocetin prevents retinal degeneration induced by oxidative and endoplasmic reticulum stresses via inhibition of caspase activity.**

[Yamauchi M](#)¹, [Tsuruma K](#), [Imai S](#), [Nakanishi T](#), [Umigai N](#), [Shimazawa M](#), [Hara H](#).

[Iran J Pharm Res](#), 2018 Spring;17(2):553-562. **Crocetin Prevents Sub-Cellular Organelle Damage, Proteolysis and Apoptosis in Rat Hepatocytes: A Justification for Its Hepatoprotection.**

[Yousefsani BS](#)¹, [Mehri S](#)^{1,2}, [Pourahmad J](#)³, [Hosseinzadeh H](#)^{1,2}.

San Luigi Gonzaga srl

**Strutture Sanitarie
Centri Medici Polispecialistici
Odontoiatria Avanzata
Ricerca / Nanotecnologie**

Produzione e Commercio Hardware e Software settore medicale

Farmaceutici

Integratori Hyaluwell Plus 15 ml

**Via Olimpica 7
Castorano 63081 AP
P.Iva 02103870446**

Cell.3938863464

Numero Verde 800-662451